

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| 1        | 7424 | "IEEE 1394"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:29 |
| 2        | 238  | "IEEE 1394" and ((synchroniz\$6 or sequen\$5) with isochronous)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:25 |
| 3        | 154  | ("IEEE 1394" and ((synchroniz\$6 or sequen\$5) with isochronous)) and @ad<20010330                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:23 |
| 4        | 150  | ((("IEEE 1394" and ((synchroniz\$6 or sequen\$5) with isochronous)) and @ad<20010330) and (time or marker) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:23 |
| 5        | 89   | "IEEE 1394" and ((synchroniz\$6 or sequen\$5) with (time or marker) with isochronous)                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:28 |
| 6        | 53   | ("IEEE 1394" and ((synchroniz\$6 or sequen\$5) with (time or marker) with isochronous)) and @ad<20010330   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:25 |
| 10       | 8    | marker with isochronous  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:32 |
| 11       | 36   | synchroniz\$6 adj isochronous  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:32 |
| 12       | 20   | (synchroniz\$6 adj isochronous) and sequence   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:32 |
| 13       | 10   | ((synchroniz\$6 adj isochronous) and sequence) and @ad<20010330  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:35 |
| 15       | 6    | detect\$3 with start with isochronous with frame   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:37 |
| 16       | 12   | isochronous adj data adj processor   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/10/14 16:38 |

| L Number | Hits | Search Text   | DB  | Time stamp       |
|----------|------|---|---|------------------|
| 1        | 312  | (mark\$3 or identif\$3 or indicat\$3) adj<br>(start or cycle) adj packet  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/17 10:21 |
| 2        | 13   | ((mark\$3 or identif\$3 or indicat\$3) adj<br>(start or cycle) adj packet) and isochronous                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/17 10:25 |
| 3        | 21   | (buffer or memory or queue) with (mark\$3 or<br>identif\$3) with (start or cycle) adj packet                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/17 10:26 |
| 4        | 5    | ((buffer or memory or queue) with (mark\$3 or<br>identif\$3) with (start or cycle) adj packet)<br>and isochronous | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/17 10:27 |
| 5        | 213  | isochronous with (start adj packet)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/17 10:27 |
| 6        | 3    | isochronous with (start adj packet) with<br>(buffer or memory or queue)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/10/17 10:27 |